

OASIS-D Clinical Record Items, Patient History, Items Collected at TRF/DC

M0010. CMS Certification Number	All
<input type="text"/>	
M0014. Branch State	All
<input type="text"/>	
M0016. Branch ID Number	All
<input type="text"/>	
M0018. National Provider Identifier (NPI) for the attending physician who has signed the plan of care	All
<input type="text"/> <input type="checkbox"/> UK - Unknown or Not Available	
M0020. Patient ID Number	All
<input type="text"/>	
M0030. Start of Care Date	All
<input type="text"/> - <input type="text"/> - <input type="text"/> Month Day Year	
M0032. Resumption of Care Date	All
<input type="text"/> - <input type="text"/> - <input type="text"/> <input type="checkbox"/> NA - Not Applicable Month Day Year	
M0040. Patient Name	All
<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> (First) (MI) (Last) (Suffix)	
M0050. Patient State of Residence	All
<input type="text"/>	
M0060. Patient ZIP Code	All
<input type="text"/> - <input type="text"/>	
M0063. Medicare Number	All
<input type="text"/> <input type="checkbox"/> NA - No Medicare	
M0064. Social Security Number	All
<input type="text"/> - <input type="text"/> - <input type="text"/> <input type="checkbox"/> UK - Unknown or Not Available	
M0065. Medicaid Number	All
<input type="text"/> <input type="checkbox"/> NA - No Medicare	
M0066. Birth Date	All
<input type="text"/> - <input type="text"/> - <input type="text"/> Month Day Year	
M0069. Gender	All
Enter Code <input type="checkbox"/> 1. Male 2. Female	
M0080. Discipline of Person Completing Assessment	All
Enter Code <input type="checkbox"/> 1. RN 2. PT 3. SLP/ST 4. OT	
M0090. Date Assessment Completed	All
<input type="text"/> - <input type="text"/> - <input type="text"/> Month Day Year	
M0100. This Assessment is Currently Being Completed for the Following Reason	All
Enter Code <input type="checkbox"/> Start/Resumption of Care 1. Start of care - further visits planned 3. Resumption of care (after inpatient stay) Follow-Up 4. Recertification (follow-up) reassessment ↓ Skip to M0110 5. Other follow-up ↓ Skip to M0110 Transfer to an Inpatient Facility 6. Transferred to an inpatient facility - patient not discharged from agency ↓ Skip to M1041 7. Transferred to an inpatient facility - patient discharged from agency ↓ Skip to M1041 Discharge from Agency - Not to an Inpatient Facility 8. Death at home ↓ Skip to M2005 9. Discharge from agency ↓ Skip to M1041	

OASIS-E Section A Administrative Information

A

M0010. CMS Certification Number	All
<input type="text"/>	
M0014. Branch State	All
<input type="text"/>	
M0016. Branch ID Number	All
<input type="text"/>	
M0018. National Provider Identifier (NPI) for the attending physician who has signed the plan of care	All
<input type="text"/> <input type="checkbox"/> UK - Unknown or Not Available	
M0020. Patient ID Number	All
<input type="text"/>	
M0030. Start of Care Date	All
<input type="text"/> - <input type="text"/> - <input type="text"/> Month Day Year	
M0032. Resumption of Care Date	All
<input type="text"/> - <input type="text"/> - <input type="text"/> <input type="checkbox"/> NA - Not Applicable Month Day Year	
M0040. Patient Name	All
<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> (First) (MI) (Last) (Suffix)	
M0050. Patient State of Residence	All
<input type="text"/>	
M0060. Patient ZIP Code	All
<input type="text"/> - <input type="text"/>	
M0063. Medicare Number	All
<input type="text"/> <input type="checkbox"/> NA - No Medicare	
M0064. Social Security Number	All
<input type="text"/> - <input type="text"/> - <input type="text"/> <input type="checkbox"/> UK - Unknown or Not Available	
M0065. Medicaid Number	All
<input type="text"/> <input type="checkbox"/> NA - No Medicare	
M0066. Birth Date	All
<input type="text"/> - <input type="text"/> - <input type="text"/> Month Day Year	
M0069. Gender	All
Enter Code <input type="checkbox"/> 1. Male 2. Female	
M0080. Discipline of Person Completing Assessment	All
Enter Code <input type="checkbox"/> 1. RN 2. PT 3. SLP/ST 4. OT	
M0090. Date Assessment Completed	All
<input type="text"/> - <input type="text"/> - <input type="text"/> Month Day Year	
M0100. This Assessment is Currently Being Completed for the Following Reason	All
Enter Code <input type="checkbox"/> Start/Resumption of Care 1. Start of care - further visits planned 3. Resumption of care (after inpatient stay) Follow-Up 4. Recertification (follow-up) reassessment ↓ Skip to M0110 5. Other follow-up ↓ Skip to M0110 Transfer to an Inpatient Facility 6. Transferred to an inpatient facility - patient not discharged from agency ↓ Skip to M1041 7. Transferred to an inpatient facility - patient discharged from agency ↓ Skip to M1041 Discharge from Agency - Not to an Inpatient Facility 8. Death at home ↓ Skip to M2005 9. Discharge from agency ↓ Skip to M1041	



M0102. Date of Physician-ordered Start of Care (Resumption of Care) If the physician indicated a specific start of care (resumption of care) date when the patient was referred for home health services, record the date specified.		SOC ROC
<input type="text"/> - <input type="text"/> - <input type="text"/>	↓ Skip to M0110, Episode Timing, if date entered Month Day Year	
<input type="checkbox"/> NA - No specific SOC/ROC date ordered by physician		
M0104. Date of Referral Indicate the date that the written or verbal referral for initiation or resumption of care was received by the HHA.		SOC ROC
<input type="text"/> - <input type="text"/> - <input type="text"/>	Month Day Year	
M0110. Episode Timing Is the Medicare home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the patient's current sequence of adjacent Medicare home health payment episodes?		SOC ROC FU
Enter Code <input type="checkbox"/>	1. Early 2. Late UK Unknown NA Not Applicable: No Medicare case mix group to be defined by this assessment.	
M0150. Current Payment Sources for Home Care		All
↓ Check all that apply		
<input type="checkbox"/>	0. None; no charge for current services	
<input type="checkbox"/>	1. Medicare (traditional fee-for-service)	
<input type="checkbox"/>	2. Medicare (HMO/managed care/Advantage plan)	
<input type="checkbox"/>	3. Medicaid (traditional fee-for-service)	
<input type="checkbox"/>	4. Medicaid (HMO/managed care)	
<input type="checkbox"/>	5. Workers' compensation	
<input type="checkbox"/>	6. Title programs (for example, Title III, V, or XX)	
<input type="checkbox"/>	7. Other government (for example, TriCare, VA)	
<input type="checkbox"/>	8. Private insurance	
<input type="checkbox"/>	9. Private HMO/managed care	
<input type="checkbox"/>	10. Self-pay	
<input type="checkbox"/>	11. Other (specify)	
<input type="checkbox"/>	UK Unknown	
M0906. Discharge/Transfer/Death Date Enter the date of the discharge, transfer, or death (at home) of the patient.		TRF DC DAH
<input type="text"/> - <input type="text"/> - <input type="text"/>	Month Day Year	
M1000. From which of the following Inpatient Facilities was the patient discharged within the past 14 days?		SOC ROC
↓ Check all that apply		
<input type="checkbox"/>	1. Long-term nursing facility (NF)	
<input type="checkbox"/>	2. Skilled nursing facility (SNF/TCU)	
<input type="checkbox"/>	3. Short-stay acute hospital (IPPS)	
<input type="checkbox"/>	4. Long-term care hospital (LTCH)	
<input type="checkbox"/>	5. Inpatient rehabilitation hospital or unit (IRF)	
<input type="checkbox"/>	6. Psychiatric hospital or unit	
<input type="checkbox"/>	7. Other (specify)	
<input type="checkbox"/>	NA Patient was not discharged from an inpatient facility → Skip to M1021, Primary Diagnosis	
M1005. Inpatient Discharge Date (most recent)		SOC ROC
<input type="text"/> - <input type="text"/> - <input type="text"/>	<input type="checkbox"/> UK - Unknown	

[M1030. Therapies shown in section K](#)

[M1033. Risk for Hospitalization shown in section J](#)

M0102. Date of Physician-ordered Start of Care (Resumption of Care) If the physician indicated a specific start of care (resumption of care) date when the patient was referred for home health services, record the date specified.		SOC ROC
<input type="text"/> - <input type="text"/> - <input type="text"/>	↓ Skip to M0110, Episode Timing, if date entered Month Day Year	
<input type="checkbox"/> NA - No specific SOC/ROC date ordered by physician		
M0104. Date of Referral Indicate the date that the written or verbal referral for initiation or resumption of care was received by the HHA.		SOC ROC
<input type="text"/> - <input type="text"/> - <input type="text"/>	Month Day Year	
M0110. Episode Timing Is the Medicare home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the patient's current sequence of adjacent Medicare home health payment episodes?		SOC ROC FU
Enter Code <input type="checkbox"/>	1. Early 2. Late UK Unknown NA Not Applicable: No Medicare case mix group to be defined by this assessment.	
M0150. Current Payment Sources for Home Care		All
↓ Check all that apply		
<input type="checkbox"/>	0. None; no charge for current services	
<input type="checkbox"/>	1. Medicare (traditional fee-for-service)	
<input type="checkbox"/>	2. Medicare (HMO/managed care/Advantage plan)	
<input type="checkbox"/>	3. Medicaid (traditional fee-for-service)	
<input type="checkbox"/>	4. Medicaid (HMO/managed care)	
<input type="checkbox"/>	5. Workers' compensation	
<input type="checkbox"/>	6. Title programs (for example, Title III, V, or XX)	
<input type="checkbox"/>	7. Other government (for example, TriCare, VA)	
<input type="checkbox"/>	8. Private insurance	
<input type="checkbox"/>	9. Private HMO/managed care	
<input type="checkbox"/>	10. Self-pay	
<input type="checkbox"/>	11. Other (specify)	
<input type="checkbox"/>	UK Unknown	
M0906. Discharge/Transfer/Death Date Enter the date of the discharge, transfer, or death (at home) of the patient.		TRF DC DAH
<input type="text"/> - <input type="text"/> - <input type="text"/>	Month Day Year	
M1000. From which of the following Inpatient Facilities was the patient discharged within the past 14 days?		SOC ROC
↓ Check all that apply		
<input type="checkbox"/>	1. Long-term nursing facility (NF)	
<input type="checkbox"/>	2. Skilled nursing facility (SNF/TCU)	
<input type="checkbox"/>	3. Short-stay acute hospital (IPPS)	
<input type="checkbox"/>	4. Long-term care hospital (LTCH)	
<input type="checkbox"/>	5. Inpatient rehabilitation hospital or unit (IRF)	
<input type="checkbox"/>	6. Psychiatric hospital or unit	
<input type="checkbox"/>	7. Other (specify)	
<input type="checkbox"/>	NA Patient was not discharged from an inpatient facility → Skip to B1300, Health Literacy	
M1005. Inpatient Discharge Date (most recent)		SOC ROC
<input type="text"/> - <input type="text"/> - <input type="text"/>	<input type="checkbox"/> UK - Unknown	

(M0140) Race/Ethnicity	
↓ Check all that apply	
<input type="checkbox"/>	1. American Indian or Alaska Native
<input type="checkbox"/>	2. Asian
<input type="checkbox"/>	3. Black or African-American
<input type="checkbox"/>	4. Hispanic or Latino
<input type="checkbox"/>	5. Native Hawaiian or Pacific Islander
<input type="checkbox"/>	6. White

SOC
ROC

A1005. Ethnicity	
Are you of Hispanic, Latino/a, or Spanish origin?	
↓ Check all that apply	
<input type="checkbox"/>	A. No, not of Hispanic, Latino/a, or Spanish origin
<input type="checkbox"/>	B. Yes, Mexican, Mexican American, Chicano/a
<input type="checkbox"/>	C. Yes, Puerto Rican
<input type="checkbox"/>	D. Yes, Cuban
<input type="checkbox"/>	E. Yes, Another Hispanic, Latino, or Spanish origin
<input type="checkbox"/>	X. Patient unable to respond

SOC

A1010. Race	
What is your race?	
↓ Check all that apply	
<input type="checkbox"/>	A. White
<input type="checkbox"/>	B. Black or African American
<input type="checkbox"/>	C. American Indian or Alaska Native
<input type="checkbox"/>	D. Asian Indian
<input type="checkbox"/>	E. Chinese
<input type="checkbox"/>	F. Filipino
<input type="checkbox"/>	G. Japanese
<input type="checkbox"/>	H. Korean
<input type="checkbox"/>	I. Vietnamese
<input type="checkbox"/>	J. Other Asian
<input type="checkbox"/>	K. Native Hawaiian
<input type="checkbox"/>	L. Guamanian or Chamorro
<input type="checkbox"/>	M. Samoan
<input type="checkbox"/>	N. Other Pacific Islander
<input type="checkbox"/>	X. Patient unable to respond

SOC

A1110. Language	
Enter Code	A. What is your preferred language?
<input type="checkbox"/>	<input type="text"/>
	B. Do you need or want an interpreter to communicate with a doctor or health care staff?
	0. No
	1. Yes
	9. Unable to determine

SOC

A1250. Transportation	
Has lack of transportation kept you from medical appointments, meetings, work, or from getting things needed for daily living?	
↓ Check all that apply	
<input type="checkbox"/>	A. Yes, it has kept me from medical appointments or from getting my medications
<input type="checkbox"/>	B. Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need
<input type="checkbox"/>	C. No
<input type="checkbox"/>	X. Patient unable to respond

SOC
ROC
DC

M2301. Emergent Care	
At the time of or at any time since the most recent SOC/ROC assessment has the patient utilized a hospital emergency department (includes holding/observation status)?	
Enter Code	0. No → Skip to M2410, Inpatient Facility
<input type="checkbox"/>	1. Yes, used hospital emergency department WITHOUT hospital admission
	2. Yes, used hospital emergency department WITH hospital admission
	UK Unknown → Skip to M2410, Inpatient Facility

TRF
DC

M2301. Emergent Care	
At the time of or at any time since the most recent SOC/ROC assessment has the patient utilized a hospital emergency department (includes holding/observation status)?	
Enter Code	0. No → Skip to M2410, Inpatient Facility
<input type="checkbox"/>	1. Yes, used hospital emergency department WITHOUT hospital admission
	2. Yes, used hospital emergency department WITH hospital admission
	UK Unknown → Skip to M2410, Inpatient Facility

TRF
DC

M2310. Reason for Emergent Care	
For what reason(s) did the patient seek and/or receive emergent care (with or without hospitalization)?	
↓ Check all that apply	
<input type="checkbox"/>	1. Improper medication administration, adverse drug reactions, medication side effects, toxicity, anaphylaxis
<input type="checkbox"/>	10. Hypo/Hyperglycemia, diabetes out of control
<input type="checkbox"/>	19. Other than above reasons
<input type="checkbox"/>	UK Reason unknown

TRF
DC

M2310. Reason for Emergent Care	
For what reason(s) did the patient seek and/or receive emergent care (with or without hospitalization)?	
↓ Check all that apply	
<input type="checkbox"/>	1. Improper medication administration, adverse drug reactions, medication side effects, toxicity, anaphylaxis
<input type="checkbox"/>	10. Hypo/Hyperglycemia, diabetes out of control
<input type="checkbox"/>	19. Other than above reasons
<input type="checkbox"/>	UK Reason unknown

TRF
DC

M2410. To which Inpatient Facility has the patient been admitted?	
Enter Code	1. Hospital [Go to M0906]
<input type="checkbox"/>	2. Rehabilitation facility [Go to M0906]
	3. Nursing home [Go to M0906]
	4. Hospice [Go to M0906]
	NA No inpatient facility admission [Omit "NA" option on TRN]

TRF
DC

M2410. To which Inpatient Facility has the patient been admitted?	
Enter Code	1. Hospital
<input type="checkbox"/>	2. Rehabilitation facility
	3. Nursing home
	4. Hospice
	NA No inpatient facility admission [Omit "NA" option on TRN]

TRF
DC

M2420. Discharge Disposition	
Where is the patient after discharge from your agency? (Choose only one answer.)	
Enter Code	1. Patient remained in the community (without formal assistive services)
<input type="checkbox"/>	2. Patient remained in the community (with formal assistive services)
	3. Patient transferred to a non-institutional hospice
	4. Unknown because patient moved to a geographic location not served by this agency
	5. UK Other unknown [Go to M0906]

DC

M2420. Discharge Disposition	
Where is the patient after discharge from your agency? (Choose only one answer.)	
Enter Code	1. Patient remained in the community (without formal assistive services) → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge
<input type="checkbox"/>	2. Patient remained in the community (with formal assistive services) → Continue to A2121, Provision of Current Reconciled Medication List to Subsequent Provider at Discharge
	3. Patient transferred to a non-institutional hospice → Continue to A2121, Provision of Current Reconciled Medication List to Subsequent Provider at Discharge
	4. Unknown because patient moved to a geographic location not served by this agency → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge
	5. UK Other unknown → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge

DC



A2120. Provision of Current Reconciled Medication List to Subsequent Provider at Transfer		TRF
At the time of transfer to another provider, did your agency provide the patient's current reconciled medication list to the subsequent provider?		
Enter Code <input type="checkbox"/>	0. No - Current reconciled medication list not provided to the subsequent provider → Skip to J1800, Any Falls Since SOC/ROC 1. Yes - Current reconciled medication list provided to the subsequent provider → Continue to A2122, Route of Current Reconciled Medication List Transmission to Subsequent Provider 2. NA - The agency was not made aware of this transfer timely → Skip to J1800, Any Falls Since SOC/ROC	
A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge		DC
At the time of discharge to another provider, did your agency provide the patient's current reconciled medication list to the subsequent provider?		
Enter Code <input type="checkbox"/>	0. No - Current reconciled medication list not provided to the subsequent provider → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge 1. Yes - Current reconciled medication list provided to the subsequent provider → Continue to A2122, Route of Current Reconciled Medication List Transmission to Subsequent Provider	
A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider		TRF DC
Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider.		
		↓ Check all that apply ↓
A. Electronic Health Record	<input type="checkbox"/>	
B. Health Information Exchange Organization	<input type="checkbox"/>	
C. Verbal (e.g., in-person, telephone, video conferencing)	<input type="checkbox"/>	
D. Paper-based (e.g., fax, copies, printouts)	<input type="checkbox"/>	
E. Other Methods (e.g., texting, email, CDs)	<input type="checkbox"/>	
A2123. Provision of Current Reconciled Medication List to Patient at Discharge		DC
At the time of discharge, did your facility provide the patient's current reconciled medication list to the patient, family and/or caregiver?		
Enter Code <input type="checkbox"/>	0. No - Current reconciled medication list not provided to the subsequent provider → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge 1. Yes - Current reconciled medication list provided to the subsequent provider → Continue to A2122, Route of Current Reconciled Medication List Transmission to Subsequent Provider	
A2124. Route of Current Reconciled Medication List Transmission to Patient		DC
Indicate the route(s) of transmission of the current reconciled medication list to the patient/family/caregiver.		
		↓ Check all that apply ↓
A. Electronic Health Record	<input type="checkbox"/>	
B. Health Information Exchange Organization	<input type="checkbox"/>	
C. Verbal (e.g., in-person, telephone, video conferencing)	<input type="checkbox"/>	
D. Paper-based (e.g., fax, copies, printouts)	<input type="checkbox"/>	
E. Other Methods (e.g., texting, email, CDs)	<input type="checkbox"/>	

M1200. Vision with corrective lenses if the patient usually wears them):	
Enter Code <input type="checkbox"/>	<ul style="list-style-type: none"> 0. Normal vision: sees adequately in most situations; can see medication labels, newsprint. 1. Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length. 2. Severely impaired: cannot locate objects without hearing or touching them, or patient nonresponsive.

SOC
ROC

[M1242. Frequency of Pain shown in section J](#)

[M1400. Dyspnea shown in section J](#)

B0200. Hearing

SOC

Enter Code <input type="checkbox"/>	Ability to hear (with hearing aid or hearing appliances if normally used) <ul style="list-style-type: none"> 0. Adequate - no difficulty in normal conversation, social interaction, listening to TV 1. Minimal difficulty - difficulty in some environments (e.g., when person speaks softly, or setting is noisy) 2. Moderate difficulty - speaker has to increase volume and speak distinctly 3. Highly impaired - absence of useful hearing
--	--

B1000. Vision

SOC

Enter Code <input type="checkbox"/>	Ability to see in adequate light (with glasses or other visual appliances) <ul style="list-style-type: none"> 0. Adequate - sees fine detail, such as regular print in newspapers/books 1. Impaired - sees large print, but not regular print in newspapers/books 2. Moderate impaired - limited vision; not able to see newspaper headlines but can identify objects 3. Highly impaired - object identification in question, but eyes appear to follow objects 4. Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects
--	--

B1300. Health Literacy

SOC

How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy?

ROC
DC

Enter Code <input type="checkbox"/>	<ul style="list-style-type: none"> 0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 5. Patient unable to respond
--	--

OASIS-D Neuro / Emotional / Behavioral Status

M1700. Cognitive Functioning		SOC ROC DC
Patient's current (day of assessment) level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.		
Enter Code <input type="checkbox"/>	0. Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. 1. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. 2. Requires assistance and some direction in specific situations (for example, on all tasks involving shifting of attention) or consistently requires low stimulus environment due to distractibility. 3. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. 4. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.	
M1710. When Confused		SOC ROC DC
Reported or observed within the last 14 days.		
Enter Code <input type="checkbox"/>	0. Never 1. In new or complex situations only 2. On awakening or at night only 3. During the day and evening, but not constantly 4. Constantly NA Patient nonresponsive	
M1720. When Anxious		SOC ROC DC
Reported or observed within the last 14 days.		
Enter Code <input type="checkbox"/>	0. None of the time 1. Less often than daily 2. Daily, but not constantly 3. All of the time NA Patient nonresponsive	

[M1730. Depression Screening shown in section D](#)

[M1740. Cognitive, Behavioral, and Psychiatric Symptoms shown in section E](#)

[M1745. Frequency of Disruptive Behavior Symptoms shown in section E](#)

OASIS-E Section C Cognitive Patterns

C

M1700. Cognitive Functioning		SOC ROC DC
Patient's current (day of assessment) level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.		
Enter Code <input type="checkbox"/>	0. Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. 1. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. 2. Requires assistance and some direction in specific situations (for example, on all tasks involving shifting of attention) or consistently requires low stimulus environment due to distractibility. 3. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. 4. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.	
M1710. When Confused		SOC ROC DC
Reported or observed within the last 14 days.		
Enter Code <input type="checkbox"/>	0. Never 1. In new or complex situations only 2. On awakening or at night only 3. During the day and evening, but not constantly 4. Constantly NA Patient nonresponsive	
M1720. When Anxious		SOC ROC DC
Reported or observed within the last 14 days.		
Enter Code <input type="checkbox"/>	0. None of the time 1. Less often than daily 2. Daily, but not constantly 3. All of the time NA Patient nonresponsive	
C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted?		SOC ROC DC
Attempt to conduct interview with all patients.		
Enter Code <input type="checkbox"/>	0. No (patient is rarely/never understood) → Skip to C1310 Signs and Symptoms of Delirium (from CAM ©) 1. Yes → Continue to C0200, Repetition of Three Words	

Brief Interview for Mental Status (BIMS)

C0200. Repetition of Three Words

Enter Code <input type="checkbox"/>	<p>Ask patient: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue, and bed. Now tell me the three words."</p> <p>Number of words repeated after first attempt</p> <p>0. None 1. One 2. Two 3. Three</p> <p>After the patient's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may repeat the words up to two more times.</p>
--	--

SOC
ROC
DC

C0300. Temporal Orientation (Orientation to year, month, and day)

Enter Code <input type="checkbox"/>	<p>Ask patient: "Please tell me what year it is right now."</p> <p>A. Able to report correct year</p> <p>0. Missed by > 5 years or no answer 1. Missed by 2-5 years 2. Missed by 1 year 3. Correct</p>
--	--

SOC
ROC
DC

Enter Code <input type="checkbox"/>	<p>Ask patient: "What month are we in right now?"</p> <p>B. Able to report correct month</p> <p>0. Missed by > 1 month or no answer 1. Missed by 6 days to 1 month 2. Accurate within 5 days</p>
--	---

Enter Code <input type="checkbox"/>	<p>Ask patient: "What day of the week is today?"</p> <p>C. Able to report correct day of the week</p> <p>0. Incorrect or no answer 1. Correct</p>
--	--

SOC
ROC
DC

C0400. Recall

Enter Code <input type="checkbox"/>	<p>Ask patient: "Let's go back to an earlier question. What were those three words that I asked you to repeat?"</p> <p>If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word.</p> <p>A. Able to recall "sock"</p> <p>0. No - could not recall 1. Yes, after cueing ("something to wear") 2. Yes, no cue required</p>
--	--

Enter Code <input type="checkbox"/>	<p>Ask patient: "What month are we in right now?"</p> <p>B. Able to recall "blue"</p> <p>0. No - could not recall 1. Yes, after cueing ("a color") 2. Yes, no cue required</p>
--	--

Enter Code <input type="checkbox"/>	<p>Ask patient: "What day of the week is today?"</p> <p>C. Able to recall "bed"</p> <p>0. No - could not recall 1. Yes, after cueing ("a piece of furniture") 2. Yes, no cue required</p>
--	---

SOC
ROC
DC

C0500. BIMS Summary Score

Enter Score <input type="text"/>	<p>Add scores for questions C0200-C0400 and fill in total score (00-15)</p> <p>Enter 99 if the patient was unable to complete the interview</p>
-------------------------------------	---

SOC
ROC
DC

C1310. Signs and Symptoms of Delirium (from CAM©)

Code after completing Brief Interview for Mental Status and reviewing medical record.

A. Acute Onset of Mental Status Change

Enter Code <input type="checkbox"/>	<p>Is there evidence of an acute change in mental status from the patient's baseline?</p> <p>0. No 1. Yes</p>
--	--

<p>Coding:</p> <p>0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)</p>	↓ Enter Codes in Boxes	
	<input type="checkbox"/>	B. Inattention - Did the patient have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being
	<input type="checkbox"/>	C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?
	<input type="checkbox"/>	<p>D. Altered level of consciousness - Did the patient have altered level of consciousness, as indicated by any of the following criteria?</p> <ul style="list-style-type: none"> ▪ Vigilant - startled easily to any sound or touch ▪ Lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch ▪ Stuporous - very difficult to arouse and keep aroused for the interview ▪ Comatose - could not be aroused

M1730. Depression Screening
 Depression Screening: Has the patient been screened for depression, using a standardized, validated depression screening tool?

Enter Code

0. No
 1. Yes, patient was screened using the PHQ-2©* scale.

Instructions for this two-question tool: Ask patient: "Over the last two weeks, how often have you been bothered by any of the following problems?"

PHQ-2©*	Not at all 0-1 day	Several days 2-6 days	More than half of the days 7-11 days	Nearly every day 12-14 days	NA Unable to respond
a) Little interest or pleasure in doing things	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> NA
b) Feeling down, depressed, or hopeless?	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> NA

2. Yes, patient was screened with a different standardized, validated assessment and the patient meets criteria for further evaluation for depression.
 3. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
 4. Yes, patient was screened with a different standardized, validated assessment and the patient does not meet criteria for further evaluation for depression.

*Copyright© Pfizer Inc. All rights reserved. Reproduced with permission.

SOC
ROC

M1740. Cognitive, Behavioral, and Psychiatric Symptoms shown in section E

M1745. Frequency of Disruptive Behavior Symptoms shown in section E

D0150. Patient Mood Interview (PHQ-2 to 9)

Say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.
 If yes in column 1, then ask the patient: "About how often have you been bothered by this?"
 Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence	Symptom Frequency	1. Symptom Presence	2. Symptom Frequency
0. No (enter 0 in column 2) 1. Yes (enter 0-3 in column 2) 9. No response (leave column 2 blank)	0. Never or 1 day 1. 2-6 days (several days) 2. 7-11 days (half or more of the days) 3. 12-14 days (nearly every day)	<input type="checkbox"/>	<input type="checkbox"/>
		↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things		<input type="checkbox"/>	<input type="checkbox"/>
B. Feeling down, depressed, or hopeless		<input type="checkbox"/>	<input type="checkbox"/>
If either D150A2 or D150B2 is coded 2 or 3, CONTINUE asking the questions below. If not, END the PHQ interview.			
C. Trouble falling or staying asleep, or sleeping too much		<input type="checkbox"/>	<input type="checkbox"/>
D. Feeling tired or having little energy		<input type="checkbox"/>	<input type="checkbox"/>
E. Poor appetite or overeating		<input type="checkbox"/>	<input type="checkbox"/>
F. Feeling bad about yourself – or that you are a failure or have let yourself or your family down		<input type="checkbox"/>	<input type="checkbox"/>
G. Trouble concentrating on things, such as reading the newspaper or watching television		<input type="checkbox"/>	<input type="checkbox"/>
H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual		<input type="checkbox"/>	<input type="checkbox"/>
I. Thoughts that you would be better off dead, or of hurting yourself in some way		<input type="checkbox"/>	<input type="checkbox"/>

D0160. Total Severity Score

Enter Score **Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 02 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)**

D0700. Social Isolation
 How often do you feel lonely or isolated from those around you?

Enter Code

0. Never
 1. Rarely
 2. Sometimes
 3. Often
 4. Always
 8. Patient unable to respond

SOC
ROC
DC

SOC
ROC
DC

SOC
ROC
DC

OASIS-D Neuro / Emotional / Behavioral Status (continued)

M1740. Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated at least once a week (reported or observed)

↓ Check all that apply

<input type="checkbox"/>	1. Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
<input type="checkbox"/>	2. Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
<input type="checkbox"/>	3. Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
<input type="checkbox"/>	4. Physical aggression: aggressive or combative to self and others (for example, hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
<input type="checkbox"/>	5. Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)
<input type="checkbox"/>	6. Delusional, hallucinatory, or paranoid behavior
<input type="checkbox"/>	7. None of the above behaviors demonstrated

M1745. Frequency of Disruptive Behavior Symptoms (reported or observed)
Any physical, verbal, or other disruptive/dangerous symptoms that are injurious to self or others or jeopardize personal safety.

Enter Code	0. Never
<input type="checkbox"/>	1. Less than once a month
	2. Once a month
	3. Several times each month
	4. Several times a week
	5. At least daily

SOC
ROC
DC

SOC
ROC
DC

OASIS-D Living Arrangements / Care Management

M1100. Patient Living Situation
Which of the following best describes the patient's residential circumstance and availability of assistance?

Living Arrangement	Availability of Assistance				
	Around the Clock	Regular Daytime	Regular Nighttime	Occasional/ Short-Term	No Assistance Available
↓ Check one box only ↓					
A. Patient lives alone	<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03	<input type="checkbox"/> 04	<input type="checkbox"/> 05
B. Patient lives with other person(s) in the home	<input type="checkbox"/> 06	<input type="checkbox"/> 07	<input type="checkbox"/> 08	<input type="checkbox"/> 09	<input type="checkbox"/> 10
C. Patient lives in congregate situation (for example, assisted living, residential care home)	<input type="checkbox"/> 11	<input type="checkbox"/> 12	<input type="checkbox"/> 13	<input type="checkbox"/> 14	<input type="checkbox"/> 15

M2102. Types and Sources of Assistance
Determine the ability and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to provide assistance for the following activities, if assistance is needed. Excludes all care by your agency staff.

Enter Code	A. ADL assistance (for example, transfer/ambulation, bathing, dressing, toileting, eating/feeding)
<input type="checkbox"/>	0. No assistance needed - patient is independent or does not have needs in this area
	1. Non-agency caregiver(s) currently provide assistance
	2. Non-agency caregiver(s) need training/supportive services to provide assistance
	3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance
	4. Assistance needed, but no non-agency caregiver(s) available
Enter Code	C. Medication administration (for example, oral, inhaled or injectable)
<input type="checkbox"/>	0. No assistance needed - patient is independent or does not have needs in this area
	1. Non-agency caregiver(s) currently provide assistance
	2. Non-agency caregiver(s) need training/supportive services to provide assistance
	3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance
	4. Assistance needed, but no non-agency caregiver(s) available
Enter Code	D. Medical procedures/treatments (for example, changing wound dressing, home exercise program)
<input type="checkbox"/>	0. No assistance needed - patient is independent or does not have needs in this area
	1. Non-agency caregiver(s) currently provide assistance
	2. Non-agency caregiver(s) need training/supportive services to provide assistance
	3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance
	4. Assistance needed, but no non-agency caregiver(s) available
Enter Code	F. Supervision and safety (for example, due to cognitive impairment)
<input type="checkbox"/>	0. No assistance needed - patient is independent or does not have needs in this area
	1. Non-agency caregiver(s) currently provide assistance
	2. Non-agency caregiver(s) need training/supportive services to provide assistance
	3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance
	4. Assistance needed, but no non-agency caregiver(s) available

SOC
ROC

DC

DC

DC

SOC
ROC
DC

OASIS-E Section E Behavior

E/F

M1740. Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated at least once a week (reported or observed)

↓ Check all that apply

<input type="checkbox"/>	1. Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
<input type="checkbox"/>	2. Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
<input type="checkbox"/>	3. Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
<input type="checkbox"/>	4. Physical aggression: aggressive or combative to self and others (for example, hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
<input type="checkbox"/>	5. Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)
<input type="checkbox"/>	6. Delusional, hallucinatory, or paranoid behavior
<input type="checkbox"/>	7. None of the above behaviors demonstrated

M1745. Frequency of Disruptive Behavior Symptoms (reported or observed)
Any physical, verbal, or other disruptive/dangerous symptoms that are injurious to self or others or jeopardize personal safety.

Enter Code	0. Never
<input type="checkbox"/>	1. Less than once a month
	2. Once a month
	3. Several times each month
	4. Several times a week
	5. At least daily

SOC
ROC
DC

SOC
ROC
DC

OASIS-E Section F Preferences for Customary Routine Activities

M1100. Patient Living Situation
Which of the following best describes the patient's residential circumstance and availability of assistance?

Living Arrangement	Availability of Assistance				
	Around the Clock	Regular Daytime	Regular Nighttime	Occasional/ Short-Term	No Assistance Available
↓ Check one box only ↓					
A. Patient lives alone	<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03	<input type="checkbox"/> 04	<input type="checkbox"/> 05
B. Patient lives with other person(s) in the home	<input type="checkbox"/> 06	<input type="checkbox"/> 07	<input type="checkbox"/> 08	<input type="checkbox"/> 09	<input type="checkbox"/> 10
C. Patient lives in congregate situation (for example, assisted living, residential care home)	<input type="checkbox"/> 11	<input type="checkbox"/> 12	<input type="checkbox"/> 13	<input type="checkbox"/> 14	<input type="checkbox"/> 15

M2102. Types and Sources of Assistance
Determine the ability and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to provide assistance for the following activities, if assistance is needed. Excludes all care by your agency staff.

Enter Code	A. ADL assistance (for example, transfer/ambulation, bathing, dressing, toileting, eating/feeding)
<input type="checkbox"/>	0. No assistance needed - patient is independent or does not have needs in this area
	1. Non-agency caregiver(s) currently provide assistance
	2. Non-agency caregiver(s) need training/supportive services to provide assistance
	3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance
	4. Assistance needed, but no non-agency caregiver(s) available
Enter Code	C. Medication administration (for example, oral, inhaled or injectable)
<input type="checkbox"/>	0. No assistance needed - patient is independent or does not have needs in this area
	1. Non-agency caregiver(s) currently provide assistance
	2. Non-agency caregiver(s) need training/supportive services to provide assistance
	3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance
	4. Assistance needed, but no non-agency caregiver(s) available
Enter Code	D. Medical procedures/treatments (for example, changing wound dressing, home exercise program)
<input type="checkbox"/>	0. No assistance needed - patient is independent or does not have needs in this area
	1. Non-agency caregiver(s) currently provide assistance
	2. Non-agency caregiver(s) need training/supportive services to provide assistance
	3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance
	4. Assistance needed, but no non-agency caregiver(s) available
Enter Code	F. Supervision and safety (for example, due to cognitive impairment)
<input type="checkbox"/>	0. No assistance needed - patient is independent or does not have needs in this area
	1. Non-agency caregiver(s) currently provide assistance
	2. Non-agency caregiver(s) need training/supportive services to provide assistance
	3. Non-agency caregiver(s) are not likely to provide assistance, OR it is unclear if they will provide assistance
	4. Assistance needed, but no non-agency caregiver(s) available

SOC
ROC

DC

DC

DC

SOC
ROC
DC

OASIS-D ADL / IADLs

M1800. Grooming Current ability to tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or make up, teeth or denture care, or fingernail care).		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to groom self unaided, with or without the use of assistive devices or adapted methods. 1. Grooming utensils must be placed within reach before able to complete grooming activities. 2. Someone must assist the patient to groom self. 3. Patient depends entirely upon someone else for grooming needs.	
M1810. Current Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. 1. Able to dress upper body without assistance if clothing is laid out or handed to the patient. 2. Someone must help the patient put on upper body clothing. 3. Patient depends entirely upon another person to dress the upper body.	
M1820. Current Ability to Dress <u>Lower</u> Body safely (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. 1. Able to dress upper body without assistance if clothing is laid out or handed to the patient. 2. Someone must help the patient put on upper body clothing. 3. Patient depends entirely upon another person to dress the upper body.	
M1830. Bathing Current ability to wash entire body safely. <u>Excludes</u> grooming (washing face, washing hands, and shampooing hair).		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to bathe self in <u>shower or tub</u> independently, including getting in and out of tub/shower. 1. With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower. 2. Able to bathe in shower or tub with the intermittent assistance of another person: a. for intermittent supervision or encouragement or reminders, <u>OR</u> b. to get in and out of the shower or tub, <u>OR</u> c. for washing difficult to reach areas. 3. Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision. 4. Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode. 5. Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person. 6. Unable to participate effectively in bathing and is bathed totally by another person.	
M1840. Toilet Transferring Current ability to get to and from the toilet or bedside commode safely and transfer on <u>and</u> off toilet/commode.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting.	
M1845. Toileting Hygiene Current ability to maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, commode, bedpan, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment.		SOC ROC DC
Enter Code <input type="checkbox"/>	0. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene.	
M1850. Transferring Current ability to move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self.	
M1860. Ambulation/Locomotion Current ability to walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). 1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings. 2. Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces. 3. Able to walk only with the supervision or assistance of another person at all times. 4. Chairfast, unable to ambulate but is able to wheel self independently. 5. Chairfast, unable to ambulate and is unable to wheel self. 6. Bedfast, unable to ambulate or be up in a chair.	

OASIS-E Section G Functional Status

G

M1800. Grooming Current ability to tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or make up, teeth or denture care, or fingernail care).		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to groom self unaided, with or without the use of assistive devices or adapted methods. 1. Grooming utensils must be placed within reach before able to complete grooming activities. 2. Someone must assist the patient to groom self. 3. Patient depends entirely upon someone else for grooming needs.	
M1810. Current Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. 1. Able to dress upper body without assistance if clothing is laid out or handed to the patient. 2. Someone must help the patient put on upper body clothing. 3. Patient depends entirely upon another person to dress the upper body.	
M1820. Current Ability to Dress <u>Lower</u> Body safely (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. 1. Able to dress upper body without assistance if clothing is laid out or handed to the patient. 2. Someone must help the patient put on upper body clothing. 3. Patient depends entirely upon another person to dress the upper body.	
M1830. Bathing Current ability to wash entire body safely. <u>Excludes</u> grooming (washing face, washing hands, and shampooing hair).		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to bathe self in <u>shower or tub</u> independently, including getting in and out of tub/shower. 1. With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower. 2. Able to bathe in shower or tub with the intermittent assistance of another person: a. for intermittent supervision or encouragement or reminders, <u>OR</u> b. to get in and out of the shower or tub, <u>OR</u> c. for washing difficult to reach areas. 3. Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision. 4. Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode. 5. Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person. 6. Unable to participate effectively in bathing and is bathed totally by another person.	
M1840. Toilet Transferring Current ability to get to and from the toilet or bedside commode safely and transfer on <u>and</u> off toilet/commode.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting.	
M1845. Toileting Hygiene Current ability to maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, commode, bedpan, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment.		SOC ROC DC
Enter Code <input type="checkbox"/>	0. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene.	
M1850. Transferring Current ability to move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self.	
M1860. Ambulation/Locomotion Current ability to walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.		SOC ROC FU DC
Enter Code <input type="checkbox"/>	0. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). 1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings. 2. Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces. 3. Able to walk only with the supervision or assistance of another person at all times. 4. Chairfast, unable to ambulate but is able to wheel self independently. 5. Chairfast, unable to ambulate and is unable to wheel self. 6. Bedfast, unable to ambulate or be up in a chair.	

OASIS-D Functional Abilities and Goals

GG0100. Prior Functioning: Everyday Activities
Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.

↓ Enter Codes in Boxes

<input type="checkbox"/>	A. Self Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.
<input type="checkbox"/>	B. Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch or walker) prior to the current illness, exacerbation, or injury.
<input type="checkbox"/>	C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation or injury.
<input type="checkbox"/>	D. Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.

Coding:

- 3. Independent** - Patient completed all the activities by him/herself, with or without an assistive device, with no assistance from a helper.
- 2. Needed Some Help** - Patient needed partial assistance from another person to complete any activities.
- 1. Dependent** - A helper completed all the activities for the patient.
- 8. Unknown**
- 9. Not Applicable**

SOC
ROC

GG0110. Prior Device Use
Indicate devices and aids used by the patient prior to the current illness, exacerbation, or injury.

↓ Check all that apply

<input type="checkbox"/>	A. Manual wheelchair
<input type="checkbox"/>	B. Motorized wheelchair and/or scooter
<input type="checkbox"/>	C. Mechanical lift
<input type="checkbox"/>	D. Walker
<input type="checkbox"/>	E. Orthotics/Prosthetics
<input type="checkbox"/>	Z. None of the above

SOC
ROC

GG0130. Self Care
[SOC/ROC/Follow-Up/DC] Code the patient's usual performance for each activity using the 6 point scale. If activity was not attempted, code the reason. Code the patient's discharge goal(s) using the 6 point scale.
[SOC/ROC] Use of codes 07, 09, 10 or 88 is permissible to code discharge goal(s).

Coding:
Safety and Quality of Performance - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.
Activities may be completed with or without assistive devices.

- 06. Independent** - Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean up assistance** - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. Dependent** - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused**
- 09. Not applicable** - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical conditions or safety concerns**

SOC
ROC
FU
DC

[at SOC/ROC]		[at Fol-Up]		[at DC]	
1. SOC/ROC Perf	2. DC Goal	4. Fol-Up Perf	3. DC Perf	1. SOC/ROC Perf	2. DC Goal
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

↓ Enter Codes in Boxes ↓

<input type="checkbox"/>	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
<input type="checkbox"/>	B. Oral Hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from mouth, and manage denture soaking and rinsing with use of equipment.
<input type="checkbox"/>	C. Toileting Hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
<input type="checkbox"/>	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of
<input type="checkbox"/>	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
<input type="checkbox"/>	G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
<input type="checkbox"/>	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

OASIS-E Section GG Functional Abilities and Goals

GG

GG0100. Prior Functioning: Everyday Activities
Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.

↓ Enter Codes in Boxes

<input type="checkbox"/>	A. Self Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.
<input type="checkbox"/>	B. Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch or walker) prior to the current illness, exacerbation, or injury.
<input type="checkbox"/>	C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation or injury.
<input type="checkbox"/>	D. Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.

Coding:

- 3. Independent** - Patient completed all the activities by him/herself, with or without an assistive device, with no assistance from a helper.
- 2. Needed Some Help** - Patient needed partial assistance from another person to complete any activities.
- 1. Dependent** - A helper completed all the activities for the patient.
- 8. Unknown**
- 9. Not Applicable**

SOC
ROC

GG0110. Prior Device Use
Indicate devices and aids used by the patient prior to the current illness, exacerbation, or injury.

↓ Check all that apply

<input type="checkbox"/>	A. Manual wheelchair
<input type="checkbox"/>	B. Motorized wheelchair and/or scooter
<input type="checkbox"/>	C. Mechanical lift
<input type="checkbox"/>	D. Walker
<input type="checkbox"/>	E. Orthotics/Prosthetics
<input type="checkbox"/>	Z. None of the above

SOC
ROC

GG0130. Self Care
[SOC/ROC/Follow-Up/DC] Code the patient's usual performance for each activity using the 6 point scale. If activity was not attempted, code the reason. Code the patient's discharge goal(s) using the 6 point scale.
[SOC/ROC] Use of codes 07, 09, 10 or 88 is permissible to code discharge goal(s).

Coding:
Safety and Quality of Performance - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.
Activities may be completed with or without assistive devices.

- 06. Independent** - Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean up assistance** - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. Dependent** - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused**
- 09. Not applicable** - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical conditions or safety concerns**

SOC
ROC
FU
DC

[at SOC/ROC]		[at Fol-Up]		[at DC]	
1. SOC/ROC Perf	2. DC Goal	4. Fol-Up Perf	3. DC Perf	1. SOC/ROC Perf	2. DC Goal
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

↓ Enter Codes in Boxes ↓

<input type="checkbox"/>	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
<input type="checkbox"/>	B. Oral Hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from mouth, and manage denture soaking and rinsing with use of equipment.
<input type="checkbox"/>	C. Toileting Hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
<input type="checkbox"/>	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of
<input type="checkbox"/>	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
<input type="checkbox"/>	G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
<input type="checkbox"/>	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

[at SOC/ROC]				[at Fol-Up]	[at DC]
1. SOC/ROC Perf	2. DC Goal	4. Fol-Up Perf	3. DC Perf		
↓ Enter Codes in Boxes ↓					
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	A.	Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	B.	Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	C.	Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	D.	Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	E.	Chair/bed to chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	F.	Toilet transfer: The ability to get on and off a toilet or commode.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	G.	Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	I.	Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	J.	Walk 50 feet with two turns: Once standing, the ability to walk 50 feet and make two turns.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	K.	Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	L.	Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	M.	1 step (curb): The ability to go up and down a curb and/or up and down one step.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	N.	4 steps: The ability to go up and down four steps with or without a rail.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	O.	12 steps: The ability to go up and down 12 steps with or without a rail.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	P.	Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Q1/Q3/Q4.	Does patient use wheelchair and/or a scooter? 0. No → Skip GG0170R, GG0170RR1, GG0170S, and GG0170SS. 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	R.	Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	RR1/RR3.	Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	S.	Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	SS1/SS3.	Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized

SOC
ROC
FU
DC

[at SOC/ROC]				[at Fol-Up]	[at DC]
1. SOC/ROC Perf	2. DC Goal	4. Fol-Up Perf	3. DC Perf		
↓ Enter Codes in Boxes ↓					
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	A.	Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	B.	Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	C.	Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	D.	Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	E.	Chair/bed to chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	F.	Toilet transfer: The ability to get on and off a toilet or commode.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	G.	Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	I.	Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	J.	Walk 50 feet with two turns: Once standing, the ability to walk 50 feet and make two turns.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	K.	Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	L.	Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	M.	1 step (curb): The ability to go up and down a curb and/or up and down one step.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	N.	4 steps: The ability to go up and down four steps with or without a rail.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	O.	12 steps: The ability to go up and down 12 steps with or without a rail.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	P.	Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Q1/Q3/Q4.	Does patient use wheelchair and/or a scooter? 0. No → Skip GG0170R, GG0170RR1, GG0170S, and GG0170SS. 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	R.	Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	RR1/RR3.	Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	S.	Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	SS1/SS3.	Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized

SOC
ROC
FU
DC

OASIS-D Elimination Status

M1600. Has this patient been treated for a Urinary Tract Infection in the past 14 days?	
Enter Code <input type="checkbox"/>	0. No 1. Yes NA Patient on prophylactic treatment UK Unknown [Omit "UK" option on DC]
M1610. Urinary Incontinence or Urinary Catheter Presence	
Enter Code <input type="checkbox"/>	0. No incontinence or catheter (includes anuria or ostomy for urinary drainage) 1. Patient is incontinent 2. Patient requires a urinary catheter (specifically: external, indwelling, intermittent, or suprapubic)
M1620. Bowel Incontinence Frequency	
Enter Code <input type="checkbox"/>	0. Very rarely or never has bowel incontinence 1. Less than once weekly 2. One to three times weekly 3. Four to six times weekly 4. On a daily basis 5. More often than once daily NA Patient has ostomy for bowel elimination UK Unknown [Omit "UK" option on DC]
M1630. Ostomy for Bowel Elimination	
Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay; <u>or</u> b) necessitated a change in medical or treatment regimen?	
Enter Code <input type="checkbox"/>	0. Patient does <u>not</u> have an ostomy for bowel elimination. 1. Patient's ostomy was <u>not</u> related to an inpatient stay and did <u>not</u> necessitate change in medical or treatment regimen. 2. The ostomy <u>was</u> related to an inpatient stay or <u>did</u> necessitate change in medical or treatment regimen.

SOC
ROC
DC

SOC
ROC
FU

SOC
ROC
FU
DC

SOC
ROC
FU

OASIS-D Patient Diagnoses

M1028. Active Diagnoses - Comorbidities and Co-existing Conditions	
See OASIS Guidance Manual for a complete list of relevant ICD-10 codes.	
↓ Check all that apply	
<input type="checkbox"/>	1. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)
<input type="checkbox"/>	2. Diabetes Mellitus (DM)
<input type="checkbox"/>	3. None of the above
M1021. Primary Diagnosis & M1023. Other Diagnoses	
Column 1	Column 2
Diagnoses (Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided)	ICD-10-CM and symptom control rating for each condition. Note that the sequencing of these ratings may not match the sequencing of the diagnoses
M1021. Primary Diagnosis	
A. _____	V, W, X, Y codes NOT allowed A. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
M1023. Other Diagnosis	
B. _____	All ICD-10-CM codes allowed B. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
C. _____	All ICD-10-CM codes allowed C. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
D. _____	All ICD-10-CM codes allowed D. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
E. _____	All ICD-10-CM codes allowed E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
F. _____	All ICD-10-CM codes allowed F. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4

SOC
ROC

SOC
ROC
FU (o)

SOC
ROC
FU (o)

OASIS-E Section H Bladder and Bowel

H/I

M1600. Has this patient been treated for a Urinary Tract Infection in the past 14 days?	
Enter Code <input type="checkbox"/>	0. No 1. Yes NA Patient on prophylactic treatment UK Unknown [Omit "UK" option on DC]
M1610. Urinary Incontinence or Urinary Catheter Presence	
Enter Code <input type="checkbox"/>	0. No incontinence or catheter (includes anuria or ostomy for urinary drainage) 1. Patient is incontinent 2. Patient requires a urinary catheter (specifically: external, indwelling, intermittent, or suprapubic)
M1620. Bowel Incontinence Frequency	
Enter Code <input type="checkbox"/>	0. Very rarely or never has bowel incontinence 1. Less than once weekly 2. One to three times weekly 3. Four to six times weekly 4. On a daily basis 5. More often than once daily NA Patient has ostomy for bowel elimination UK Unknown [Omit "UK" option on DC]
M1630. Ostomy for Bowel Elimination	
Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay; <u>or</u> b) necessitated a change in medical or treatment regimen?	
Enter Code <input type="checkbox"/>	0. Patient does <u>not</u> have an ostomy for bowel elimination. 1. Patient's ostomy was <u>not</u> related to an inpatient stay and did <u>not</u> necessitate change in medical or treatment regimen. 2. The ostomy <u>was</u> related to an inpatient stay or <u>did</u> necessitate change in medical or treatment regimen.

SOC
ROC
DC

SOC
ROC

SOC
ROC
DC

SOC
ROC

OASIS-E Section I Active Diagnoses

M1028. Active Diagnoses - Comorbidities and Co-existing Conditions	
See OASIS Guidance Manual for a complete list of relevant ICD-10 codes.	
↓ Check all that apply	
<input type="checkbox"/>	1. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)
<input type="checkbox"/>	2. Diabetes Mellitus (DM)
<input type="checkbox"/>	3. None of the above
M1021. Primary Diagnosis & M1023. Other Diagnoses	
Column 1	Column 2
Diagnoses (Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided)	ICD-10-CM and symptom control rating for each condition. Note that the sequencing of these ratings may not match the sequencing of the diagnoses
M1021. Primary Diagnosis	
A. _____	V, W, X, Y codes NOT allowed A. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
M1023. Other Diagnosis	
B. _____	All ICD-10-CM codes allowed B. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
C. _____	All ICD-10-CM codes allowed C. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
D. _____	All ICD-10-CM codes allowed D. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
E. _____	All ICD-10-CM codes allowed E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
F. _____	All ICD-10-CM codes allowed F. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4

SOC
ROC

SOC
ROC

SOC
ROC

OASIS-D Patient History (continued) / Sensory Status (continued) / Health Conditions

M1033. Risk for Hospitalization
Which of the following signs or symptoms characterize this patient as at risk for hospitalization?

↓ Check all that apply

<input type="checkbox"/>	1. History of falls (2 or more falls – or any fall with an injury – in the past 12 months)
<input type="checkbox"/>	2. Unintentional weight loss of a total of 10 pounds or more in the past 12 months
<input type="checkbox"/>	3. Multiple hospitalizations (2 or more) in the past 6 months
<input type="checkbox"/>	4. Multiple emergency department visits (2 or more) in the past 6 months
<input type="checkbox"/>	5. Decline in mental, emotional, or behavioral status in the past 3 months
<input type="checkbox"/>	6. Reported or observed history of difficulty complying with any medical instructions (for example, medications, diet, exercise) in the past 3 months
<input type="checkbox"/>	7. Currently taking 5 or more medications
<input type="checkbox"/>	8. Currently reports exhaustion
<input type="checkbox"/>	9. Other risk(s) not listed in 1-8
<input type="checkbox"/>	10. None of the above

SOC
ROC
FU

M1242. Frequency of Pain Interfering with patient's activity or movement

Enter Code	0. Patient has no pain
<input type="checkbox"/>	1. Patient has pain that does not interfere with activity or movement
	2. Less often than daily
	3. Daily, but not constantly
	4. All of the time

SOC
ROC
DC

J1800. Any Falls Since SOC/ROC, whichever is more recent
Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.

Enter Code	Has the patient had any falls since SOC/ROC, whichever is more recent?
<input type="checkbox"/>	0. No → Skip to M1400, Short of Breath at DC; Skip to M2005, Medication Intervention at TRN and DAH
	1. Yes → Continue to J1900, Number of Falls Since SOC/ROC

TRF
DC

J1900. Number of Falls Since SOC/ROC, whichever is more recent

↓ Enter Codes in Boxes	
Coding:	<input type="checkbox"/>
0. None	A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall
1. One	<input type="checkbox"/>
2. Two or more	B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain
	<input type="checkbox"/>
	C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma

TRF
DC

M1910. Has this patient had a multi-factor Falls Risk Assessment using a standardized, validated assessment tool?

Enter Code	0. No
<input type="checkbox"/>	1. Yes, and it does not indicate a risk for falls.
	2. Yes, and it does indicate a risk for falls.

SOC(o)
ROC(o)

M1400. When is the patient dyspneic or noticeably Short of Breath?

Enter Code	0. Patient is not short of breath
<input type="checkbox"/>	1. When walking more than 20 feet, climbing stairs
	2. With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)
	3. With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation
	4. At rest (during day or night)

SOC
ROC
FU(o)
DC

OASIS-E Section J Health Conditions

J

M1033. Risk for Hospitalization
Which of the following signs or symptoms characterize this patient as at risk for hospitalization?

↓ Check all that apply

<input type="checkbox"/>	1. History of falls (2 or more falls – or any fall with an injury – in the past 12 months)
<input type="checkbox"/>	2. Unintentional weight loss of a total of 10 pounds or more in the past 12 months
<input type="checkbox"/>	3. Multiple hospitalizations (2 or more) in the past 6 months
<input type="checkbox"/>	4. Multiple emergency department visits (2 or more) in the past 6 months
<input type="checkbox"/>	5. Decline in mental, emotional, or behavioral status in the past 3 months
<input type="checkbox"/>	6. Reported or observed history of difficulty complying with any medical instructions (for example, medications, diet, exercise) in the past 3 months
<input type="checkbox"/>	7. Currently taking 5 or more medications
<input type="checkbox"/>	8. Currently reports exhaustion
<input type="checkbox"/>	9. Other risk(s) not listed in 1-8
<input type="checkbox"/>	10. None of the above

SOC
ROC
FU

J0510. Pain Effect on Sleep

Enter Code	Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?"
<input type="checkbox"/>	0. Does not apply – I have not had any pain or hurting in the past 5 days → Skip to M1400, Short of Breath at SOC/ROC; Skip to J1800 Any Falls Since SOC/ROC at DC
	1. Rarely or not at all
	2. Occasionally
	3. Frequently
	4. Almost constantly
	8. Unable to answer

SOC
ROC
DC

J0520. Pain Interference with Therapy Activities

Enter Code	Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?"
<input type="checkbox"/>	0. Does not apply – I have not received rehabilitation therapy in the past 5 days
	1. Rarely or not at all
	2. Occasionally
	3. Frequently
	4. Almost constantly
	8. Unable to answer

SOC
ROC
DC

J0530. Pain Interference with Day-to-Day Activities

Enter Code	Ask patient: "Over the past 5 days, how often you have limited your day-to-day activities (excluding rehabilitation therapy session) because of pain?"
<input type="checkbox"/>	1. Rarely or not at all
	2. Occasionally
	3. Frequently
	4. Almost constantly
	8. Unable to answer

SOC
ROC
DC

J1800. Any Falls Since SOC/ROC, whichever is more recent
Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.

Enter Code	Has the patient had any falls since SOC/ROC, whichever is more recent?
<input type="checkbox"/>	0. No → Skip to M1400, Short of Breath at DC; Skip to M2005, Medication Intervention at TRN and DAH
	1. Yes → Continue to J1900, Number of Falls Since SOC/ROC

TRF
DC

J1900. Number of Falls Since SOC/ROC, whichever is more recent

↓ Enter Codes in Boxes	
Coding:	<input type="checkbox"/>
0. None	A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall
1. One	<input type="checkbox"/>
2. Two or more	B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain
	<input type="checkbox"/>
	C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma

TRF
DC

M1400. When is the patient dyspneic or noticeably Short of Breath?

Enter Code	0. Patient is not short of breath
<input type="checkbox"/>	1. When walking more than 20 feet, climbing stairs
	2. With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)
	3. With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation
	4. At rest (during day or night)

SOC
ROC
DC



OASIS-D Patient History (continued) / ADL/IADLs (continued) / Health Conditions

M1060. Height and Weight - While measuring, if the number is X.1-X.4 round down; X.5 or greater round up.

<input type="text"/> inches	A. Height (in inches). Record most recent height measure since the most recent SOC/ROC
<input type="text"/> pounds	B. Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard agency practice (for example, in a.m. after voiding, before meal, with shoes off, etc.)

SOC
ROC

M1030. Therapies the patient receives at home:

↓ Check all that apply

<input type="checkbox"/>	1. Intravenous or infusion therapy (excludes TPN)
<input type="checkbox"/>	2. Parenteral nutrition (TPN or lipids)
<input type="checkbox"/>	3. Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)
<input type="checkbox"/>	4. None of the above

SOC
ROC
FU(o)

M1870. Feeding or Eating

Current ability to feed self meals and snacks safely.
Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.

Enter Code	<input type="checkbox"/> <ul style="list-style-type: none"> 0. Able to independently feed self. 1. Able to feed self independently but requires: <ul style="list-style-type: none"> a. meal set-up; <u>OR</u> b. intermittent assistance or supervision from another person; <u>OR</u> c. a liquid, pureed or ground meat diet. 2. Unable to feed self and must be assisted or supervised throughout the meal/snack. 3. Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy. 4. Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy. 5. Unable to take in nutrients orally or by tube feeding.
------------	--

SOC
ROC
DC

M1800-M1860. Other ADL/IADLs shown in section G

OASIS-E Section K Swallowing/Nutritional Status

K

M1060. Height and Weight - While measuring, if the number is X.1-X.4 round down; X.5 or greater round up.

<input type="text"/> inches	A. Height (in inches). Record most recent height measure since the most recent SOC/ROC
<input type="text"/> pounds	B. Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard agency practice (for example, in a.m. after voiding, before meal, with shoes off, etc.)

SOC
ROC

K0520. Nutritional Approaches	SOC/ROC	DC	
	1. On Admission	4. Last 7 days	5. At Discharge
1. On Admission - Check all that apply on admission			
4. Last 7 days - Check all that were received in the last 7 days			
5. At Discharge - Check all that were being received at discharge			
	↓ Check all that apply ↓		
A. Parenteral/IV feeding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. Feeding tube (e.g., nasogastric or abdominal (PEG))	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C. Mechanically altered diet - require change in texture of food or liquids (e.g., pureed food, thickened liquids)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Z. None of the above	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SOC
ROC

M1870. Feeding or Eating

Current ability to feed self meals and snacks safely.
Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.

Enter Code	<input type="checkbox"/> <ul style="list-style-type: none"> 0. Able to independently feed self. 1. Able to feed self independently but requires: <ul style="list-style-type: none"> a. meal set-up; <u>OR</u> b. intermittent assistance or supervision from another person; <u>OR</u> c. a liquid, pureed or ground meat diet. 2. Unable to feed self and must be assisted or supervised throughout the meal/snack. 3. Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy. 4. Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy. 5. Unable to take in nutrients orally or by tube feeding.
------------	--

SOC
ROC
DC

OASIS-D Integumentary Status

M1306. Does this patient have at least one Unhealed Pressure Ulcer/Injury at Stage 2 or Higher or designated as Unstageable? (Excludes Stage 1 pressure injuries and all healed pressure ulcers/injuries)		SOC ROC FU DC											
Enter Code <input type="checkbox"/>	0. No → Skip to M1322, Current Number of Stage 1 Pressure Injuries at SOC/ROC; Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable at DC 1. Yes												
M1307. The Oldest Stage 2 Pressure Ulcer that is present at discharge: (Excludes healed Stage 2 pressure ulcers)		DC											
Enter Code <input type="checkbox"/>	1. Was present at the most recent SOC/ROC assessment 2. Developed since the most recent SOC/ROC assessment. Record date pressure ulcer first identified: <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> </tr> <tr> <td>Month</td> <td>Day</td> <td>Year</td> <td colspan="3"></td> </tr> </table> NA. No Stage 2 pressure ulcers are present at discharge							Month	Day	Year			
Month	Day	Year											
M1311. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage													
Enter Number <input type="checkbox"/>	Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. A1. Number of Stage 2 pressure ulcers - If 0 → Skip to M1311B1, Stage 3	SOC ROC FU(o) DC											
Enter Number <input type="checkbox"/>	A2. Number of <u>these</u> Stage 2 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. B1. Number of Stage 3 pressure ulcers - If 0 → Skip to M1311C1, Stage 4	SOC ROC FU(o) DC											
Enter Number <input type="checkbox"/>	B2. Number of <u>these</u> Stage 3 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Stage 4: Full thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. C1. Number of Stage 4 pressure ulcers - If 0 → Skip to M1311D1, Unstageable: Non-removable dressing/device	SOC ROC FU(o) DC											
Enter Number <input type="checkbox"/>	C2. Number of <u>these</u> Stage 4 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Unstageable: Non-removable dressing/device: Known but not stageable due to non-removable dressing/device D1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M1311E1, Unstageable: Slough and/or eschar	SOC ROC FU(o) DC											
Enter Number <input type="checkbox"/>	D2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Unstageable: Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar E1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M1311F1, Unstageable: Deep tissue injury	SOC ROC FU(o) DC											
Enter Number <input type="checkbox"/>	E2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Unstageable: Deep tissue injury F1. Number of unstageable pressure injuries presenting as deep tissue injury - If 0 → Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable	SOC ROC FU(o) DC											
Enter Number <input type="checkbox"/>	F2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
M1322. Current Number of Stage 1 Pressure Injuries Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.		SOC ROC FU(o)											
Enter Code <input type="checkbox"/>	0 1 2 3 4 or more												
M1324. Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable Excludes pressure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough and/or eschar, or deep tissue injury.		SOC ROC FU(o) DC											
Enter Code <input type="checkbox"/>	1. Stage 1 2. Stage 2 3. Stage 3 4. Stage 4 NA Patient has no pressure ulcers/injuries or no stageable pressure ulcers/injuries												

OASIS-E Section M Skin Conditions

M

M1306. Does this patient have at least one Unhealed Pressure Ulcer/Injury at Stage 2 or Higher or designated as Unstageable? (Excludes Stage 1 pressure injuries and all healed pressure ulcers/injuries)		SOC ROC FU DC											
Enter Code <input type="checkbox"/>	0. No → Skip to M1322, Current Number of Stage 1 Pressure Injuries at SOC/ROC; Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable at DC 1. Yes												
M1307. The Oldest Stage 2 Pressure Ulcer that is present at discharge: (Excludes healed Stage 2 pressure ulcers)		DC											
Enter Code <input type="checkbox"/>	1. Was present at the most recent SOC/ROC assessment 2. Developed since the most recent SOC/ROC assessment. Record date pressure ulcer first identified: <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> <td style="width: 20px; height: 20px;"> </td> </tr> <tr> <td>Month</td> <td>Day</td> <td>Year</td> <td colspan="3"></td> </tr> </table> NA. No Stage 2 pressure ulcers are present at discharge							Month	Day	Year			
Month	Day	Year											
M1311. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage													
Enter Number <input type="checkbox"/>	Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. A1. Number of Stage 2 pressure ulcers - If 0 → Skip to M1311B1, Stage 3	SOC ROC DC											
Enter Number <input type="checkbox"/>	A2. Number of <u>these</u> Stage 2 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. B1. Number of Stage 3 pressure ulcers - If 0 → Skip to M1311C1, Stage 4	SOC ROC DC											
Enter Number <input type="checkbox"/>	B2. Number of <u>these</u> Stage 3 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Stage 4: Full thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. C1. Number of Stage 4 pressure ulcers - If 0 → Skip to M1311D1, Unstageable: Non-removable dressing/device	SOC ROC DC											
Enter Number <input type="checkbox"/>	C2. Number of <u>these</u> Stage 4 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Unstageable: Non-removable dressing/device: Known but not stageable due to non-removable dressing/device D1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M1311E1, Unstageable: Slough and/or eschar	SOC ROC DC											
Enter Number <input type="checkbox"/>	D2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Unstageable: Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar E1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M1311F1, Unstageable: Deep tissue injury	SOC ROC DC											
Enter Number <input type="checkbox"/>	E2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
Enter Number <input type="checkbox"/>	Unstageable: Deep tissue injury F1. Number of unstageable pressure injuries presenting as deep tissue injury - If 0 → Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable	SOC ROC DC											
Enter Number <input type="checkbox"/>	F2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC											
M1322. Current Number of Stage 1 Pressure Injuries Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.		SOC ROC											
Enter Code <input type="checkbox"/>	0 1 2 3 4 or more												
M1324. Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable Excludes pressure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough and/or eschar, or deep tissue injury.		SOC ROC DC											
Enter Code <input type="checkbox"/>	1. Stage 1 2. Stage 2 3. Stage 3 4. Stage 4 NA Patient has no pressure ulcers/injuries or no stageable pressure ulcers/injuries												



M1330. Does this patient have a Stasis Ulcer? Excludes pressure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough and/or eschar, or deep tissue injury.		SOC ROC FU(o) DC
Enter Code <input type="checkbox"/>	0. No → Skip to M1340, Surgical Wound 1. Yes, patient has BOTH observable and unobservable stasis ulcers 2. Yes, patient has observable stasis ulcers ONLY 3. Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing/device) → Skip to M1340, Surgical Wound	
M1332. Current Number of Stasis Ulcer(s) that are Observable		SOC ROC FU(o)
Enter Code <input type="checkbox"/>	1. One 2. Two 3. Three 4. Four	
M1334. Status of Most Problematic Stasis Ulcer that is Observable		SOC ROC FU(o) DC
Enter Code <input type="checkbox"/>	1. Fully granulating 2. Early/partial granulation 3. Not healing	
M1340. Does this patient have a Surgical Wound?		SOC ROC FU(o) DC
Enter Code <input type="checkbox"/>	0. No → Skip to N0415, High-Risk Drug Classes: Use and Indication 1. Yes, patient has at least one observable surgical wound 2. Surgical wound known but not observable due to non-removable dressing/device → Skip to N0415, High-Risk Drug Classes: Use and Indication	
M1342. Status of Most Problematic Surgical Wound that is Observable		SOC ROC FU(o) DC
Enter Code <input type="checkbox"/>	0. Newly epithelialized 1. Fully granulating 2. Early/partial granulation 3. Not healing	

M1330. Does this patient have a Stasis Ulcer? Excludes pressure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough and/or eschar, or deep tissue injury.		SOC ROC DC
Enter Code <input type="checkbox"/>	0. No → Skip to M1340, Surgical Wound 1. Yes, patient has BOTH observable and unobservable stasis ulcers 2. Yes, patient has observable stasis ulcers ONLY 3. Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing/device) → Skip to M1340, Surgical Wound	
M1332. Current Number of Stasis Ulcer(s) that are Observable		SOC ROC
Enter Code <input type="checkbox"/>	1. One 2. Two 3. Three 4. Four	
M1334. Status of Most Problematic Stasis Ulcer that is Observable		SOC ROC DC
Enter Code <input type="checkbox"/>	1. Fully granulating 2. Early/partial granulation 3. Not healing	
M1340. Does this patient have a Surgical Wound?		SOC ROC DC
Enter Code <input type="checkbox"/>	0. No → Skip to N0415, High-Risk Drug Classes: Use and Indication 1. Yes, patient has at least one observable surgical wound 2. Surgical wound known but not observable due to non-removable dressing/device → Skip to N0415, High-Risk Drug Classes: Use and Indication	
M1342. Status of Most Problematic Surgical Wound that is Observable		SOC ROC DC
Enter Code <input type="checkbox"/>	0. Newly epithelialized 1. Fully granulating 2. Early/partial granulation 3. Not healing	

M2001. Drug Regimen Review		SOC ROC
Did a complete drug regimen review identify potential clinically significant medication issues?		
Enter Code <input type="checkbox"/>	0. No - No issues found during review → Skip to M2010, Patient/Caregiver High-Risk Drug Education 1. Yes - Issues found during review 9. NA - Patient is not taking any medications → Skip to M2102, Types and Sources of Assistance	
M2003. Medication Follow-up		SOC ROC
Did the agency contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/recommended actions in response to the identified potential clinically significant medication issues?		
Enter Code <input type="checkbox"/>	0. No 1. Yes	
M2005. Medication Intervention		TRF DC
Did the agency contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the SOC/ROC?		
Enter Code <input type="checkbox"/>	0. No 1. Yes 9. NA - There were no potential clinically significant medication issues identified since SOC/ROC or patient is not taking any medications	
M2010. Patient/Caregiver High-Risk Drug Education		SOC ROC
Has the patient/caregiver received instruction on special precautions for all high-risk medications (such as hypoglycemics, anticoagulants, etc.) and how and when to report problems that may occur?		
Enter Code <input type="checkbox"/>	0. No 1. Yes NA Patient not taking any high-risk drugs OR patient/caregiver fully knowledgeable about special precautions associated with all high-risk medications	
M2016. Patient/Caregiver Drug Education Intervention		TRF DC
At the time of, or at any time since the most recent SOC/ROC assessment, was the patient/caregiver instructed by agency staff or other health care provider to monitor the effectiveness of drug therapy, adverse drug reactions, and significant side effects, and how and when to report problems that may occur?		
Enter Code <input type="checkbox"/>	0. No 1. Yes NA Patient not taking any drugs	
M2020. Management of Oral Medications		SOC ROC DC
Patient's current ability to prepare and take <u>all</u> oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. <u>Excludes</u> injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)		
Enter Code <input type="checkbox"/>	0. Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times. 1. Able to take medication(s) at the correct times if: a. individual dosages are prepared in advance by another person; <u>OR</u> b. another person develops a drug diary or chart. 2. Able to take medication(s) at the correct times if given reminders by another person at the appropriate times 3. <u>Unable</u> to take medication unless administered by another person. NA No oral medications prescribed.	
M2030. Management of Injectable Medications		SOC ROC FU(o)
Patient's current ability to prepare and take <u>all</u> prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. <u>Excludes</u> IV medications.		
Enter Code <input type="checkbox"/>	0. Able to independently take the correct medication(s) and proper dosage(s) at the correct times. 1. Able to take injectable medication(s) at the correct times if: a. individual syringes are prepared in advance by another person; <u>OR</u> b. another person develops a drug diary or chart. 2. Able to take medication(s) at the correct times if given reminders by another person based on the frequency of the injection 3. <u>Unable</u> to take injectable medication unless administered by another person. NA No injectable medications prescribed.	

SOC/ROC and Discharge			SOC ROC DC
N0415. High-Risk Drug Classes: Use and Indication			
1. Is taking Check if the patient is taking any medications by pharmacological classification, not how it is used, in the	1. Is Taking	2. Indication Noted	
2. Indication noted If Column 1 is checked, check if there is an indication noted for all medications in the drug class			
↓ Check all that apply ↓			
A. Antipsychotic	<input type="checkbox"/>	<input type="checkbox"/>	
E. Anticoagulant	<input type="checkbox"/>	<input type="checkbox"/>	
F. Antibiotic	<input type="checkbox"/>	<input type="checkbox"/>	
H. Opioid	<input type="checkbox"/>	<input type="checkbox"/>	
I. Antiplatelet	<input type="checkbox"/>	<input type="checkbox"/>	
J. Hypoglycemic (including insulin)	<input type="checkbox"/>	<input type="checkbox"/>	
Z. None of the above	<input type="checkbox"/>	<input type="checkbox"/>	
M2001. Drug Regimen Review		SOC ROC	
Did a complete drug regimen review identify potential clinically significant medication issues?			
Enter Code <input type="checkbox"/>	0. No - No issues found during review → Skip to M2010, Patient/Caregiver High-Risk Drug Education 1. Yes - Issues found during review 9. NA - Patient is not taking any medications → Skip to O0110, Special Treatments, Procedures, and Programs		
M2003. Medication Follow-up		SOC ROC	
Did the agency contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/recommended actions in response to the identified potential clinically significant medication issues?			
Enter Code <input type="checkbox"/>	0. No 1. Yes		
M2005. Medication Intervention		TRF DC	
Did the agency contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the SOC/ROC?			
Enter Code <input type="checkbox"/>	0. No 1. Yes 9. NA - There were no potential clinically significant medication issues identified since SOC/ROC or patient is not taking any medications		
M2010. Patient/Caregiver High-Risk Drug Education		SOC ROC	
Has the patient/caregiver received instruction on special precautions for all high-risk medications (such as hypoglycemics, anticoagulants, etc.) and how and when to report problems that may occur?			
Enter Code <input type="checkbox"/>	0. No 1. Yes NA Patient not taking any high-risk drugs OR patient/caregiver fully knowledgeable about special precautions associated with all high-risk medications		

M2020. Management of Oral Medications		SOC ROC DC
Patient's current ability to prepare and take <u>all</u> oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. <u>Excludes</u> injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)		
Enter Code <input type="checkbox"/>	0. Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times. 1. Able to take medication(s) at the correct times if: a. individual dosages are prepared in advance by another person; <u>OR</u> b. another person develops a drug diary or chart. 2. Able to take medication(s) at the correct times if given reminders by another person at the appropriate times 3. <u>Unable</u> to take medication unless administered by another person. NA No oral medications prescribed.	
M2030. Management of Injectable Medications		SOC ROC
Patient's current ability to prepare and take <u>all</u> prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. <u>Excludes</u> IV medications.		
Enter Code <input type="checkbox"/>	0. Able to independently take the correct medication(s) and proper dosage(s) at the correct times. 1. Able to take injectable medication(s) at the correct times if: a. individual syringes are prepared in advance by another person; <u>OR</u> b. another person develops a drug diary or chart. 2. Able to take medication(s) at the correct times if given reminders by another person based on the frequency of the injection 3. <u>Unable</u> to take injectable medication unless administered by another person. NA No injectable medications prescribed.	



M1041. Influenza Vaccine Data Collection Period		TRF DC
Does this episode of care (SOC/ROC to Transfer/Discharge) include any dates on or between October 1 and March 31?		
Enter Code <input type="checkbox"/>	0. No → Skip to M1051, Pneumococcal Vaccine 1. Yes → Continue to M1046, Influenza Vaccine Received	
M1046. Influenza Vaccine Received		TRF DC
Did the patient receive the influenza vaccine for this year's flu season?		
Enter Code <input type="checkbox"/>	1. Yes ; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge) 2. Yes ; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge) 3. Yes ; received from another health care provider (for example, physician, pharmacist) 4. No ; patient offered and declined 5. No ; patient assessed and determined to have medical contraindication(s) 6. No ; not indicated - patient does not meet age/condition guidelines for influenza vaccine 7. No ; inability to obtain vaccine due to declared shortage 8. No ; patient did not receive the vaccine due to reasons other than those listed in responses 4-7.	
M1051. Pneumococcal Vaccine		TRF DC
Has the patient ever received the pneumococcal vaccination (for example, pneumovax)?		
Enter Code <input type="checkbox"/>	0. No 1. Yes [Go to M2005 at TRN; Go to M1242 at DC]	
M1056. Reason Pneumococcal Vaccine not received		TRF DC
If patient has never received the pneumococcal vaccination (for example, pneumovax), state reason:		
Enter Code <input type="checkbox"/>	1. Offered and Declined 2. Assessed abd determined to have medical contraindication(s) 3. Not indicated; patient does not meet age/condition guidelines for Pneumococcal Vaccine 4. None of the above	
M2200. Therapy Need		SOC ROC FU(o)
In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? (Enter zero ["000"] if no therapy visits indicated.)		
<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined). <input type="checkbox"/> NA - Not Applicable: No case mix group defined by this assessment.	

SOC/ROC and Discharge			SOC ROC DC
O0110. Special Treatments, Procedures, and Programs		a. On Admission	
Check all of the following treatments, procedures, and programs that apply.		↓ Check all that apply ↓	
Cancer Treatments			
A1. Chemotherapy	<input type="checkbox"/>	<input type="checkbox"/>	
A2. IV	<input type="checkbox"/>	<input type="checkbox"/>	
A3. Oral	<input type="checkbox"/>	<input type="checkbox"/>	
A10. Other	<input type="checkbox"/>	<input type="checkbox"/>	
B1. Radiation	<input type="checkbox"/>	<input type="checkbox"/>	
Respiratory Therapies			
C1. Oxygen Therapy	<input type="checkbox"/>	<input type="checkbox"/>	
C2. Continuous	<input type="checkbox"/>	<input type="checkbox"/>	
C3. Intermittent	<input type="checkbox"/>	<input type="checkbox"/>	
C4. High-concentration	<input type="checkbox"/>	<input type="checkbox"/>	
D1. Suctioning	<input type="checkbox"/>	<input type="checkbox"/>	
D2. Scheduled	<input type="checkbox"/>	<input type="checkbox"/>	
D3. As needed	<input type="checkbox"/>	<input type="checkbox"/>	
E1. Tracheostomy Care	<input type="checkbox"/>	<input type="checkbox"/>	
F1. Invasive Mechanical Ventilator (ventilator or respirator)	<input type="checkbox"/>	<input type="checkbox"/>	
G1. Non-invasive Mechanical Ventilator	<input type="checkbox"/>	<input type="checkbox"/>	
G2. BIPAP	<input type="checkbox"/>	<input type="checkbox"/>	
G3. CPAP	<input type="checkbox"/>	<input type="checkbox"/>	
Cancer Treatments			
H1. IV Medications	<input type="checkbox"/>	<input type="checkbox"/>	
H2. Vasoactive medications	<input type="checkbox"/>	<input type="checkbox"/>	
H3. Antibiotics	<input type="checkbox"/>	<input type="checkbox"/>	
H4. Anticoagulation	<input type="checkbox"/>	<input type="checkbox"/>	
H10. Other	<input type="checkbox"/>	<input type="checkbox"/>	
I1. Transfusions	<input type="checkbox"/>	<input type="checkbox"/>	
J1. Dialysis	<input type="checkbox"/>	<input type="checkbox"/>	
J2. Hemodialysis	<input type="checkbox"/>	<input type="checkbox"/>	
J3. Peritoneal dialysis	<input type="checkbox"/>	<input type="checkbox"/>	
O1. IV Access	<input type="checkbox"/>	<input type="checkbox"/>	
O2. Peripheral	<input type="checkbox"/>	<input type="checkbox"/>	
O3. Mid-line	<input type="checkbox"/>	<input type="checkbox"/>	
O4. Central (e.g., PICC, tunneled, port)	<input type="checkbox"/>	<input type="checkbox"/>	
None of the Above			
Z1. None of the Above	<input type="checkbox"/>	<input type="checkbox"/>	
M1041. Influenza Vaccine Data Collection Period		TRF DC	
Does this episode of care (SOC/ROC to Transfer/Discharge) include any dates on or between October 1 and March 31?			
Enter Code <input type="checkbox"/>	0. No → Skip to M2401, Intervention Synopsis 1. Yes → Continue to M1046, Influenza Vaccine Received		
M1046. Influenza Vaccine Received		TRF DC	
Did the patient receive the influenza vaccine for this year's flu season?			
Enter Code <input type="checkbox"/>	1. Yes ; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge) 2. Yes ; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge) 3. Yes ; received from another health care provider (for example, physician, pharmacist) 4. No ; patient offered and declined 5. No ; patient assessed and determined to have medical contraindication(s) 6. No ; not indicated - patient does not meet age/condition guidelines for influenza vaccine 7. No ; inability to obtain vaccine due to declared shortage 8. No ; patient did not receive the vaccine due to reasons other than those listed in responses 4-7.		
M2200. Therapy Need		SOC ROC	
In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? (Enter zero ["000"] if no therapy visits indicated.)			
<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined). <input type="checkbox"/> NA - Not Applicable: No case mix group defined by this assessment.		



M2401. Intervention Synopsis			
At the time of or at any time since the most recent SOC/ROC assessment, were the following interventions BOTH included in the physician-ordered plan of care AND implemented? (Mark only one box in each row.)			
Plan/Intervention	No	Yes	Not Applicable
↓Check only one box in each row↓			
A. Diabetic foot care including monitoring for the presence of skin lesions on the lower extremities and patient/caregiver education on proper foot care	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Patient is not diabetic or is missing lower legs due to congenital or acquired condition (bilateral amputee).			
B. Falls prevention interventions	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls.			
C. Depression intervention(s) such as medication, referral for other treatment, or a monitoring plan for current treatment	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used.			
D. Intervention(s) to monitor and mitigate pain	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain.			
E. Intervention(s) to prevent pressure ulcers	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers.			
D. Pressure ulcer treatment based on principles of moist wound healing	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated.			

TRF
DC

M0906. Discharge/Transfer/Death Date shown in section A

M2401. Intervention Synopsis			
At the time of or at any time since the most recent SOC/ROC assessment, were the following interventions BOTH included in the physician-ordered plan of care AND implemented? (Mark only one box in each row.)			
Plan/Intervention	No	Yes	Not Applicable
↓Check only one box in each row↓			
B. Falls prevention interventions	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls.			
C. Depression intervention(s) such as medication, referral for other treatment, or a monitoring plan for current treatment	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used.			
D. Intervention(s) to monitor and mitigate pain	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain.			
E. Intervention(s) to prevent pressure ulcers	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers.			
D. Pressure ulcer treatment based on principles of moist wound healing	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA
Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated.			

TRF
DC